



## “UTTAM” Hydraulic Press

### “UTTAM” Tyre- Flap Hydraulic Press

"UTTAM" make Compression moulding Tyre - Flap Hydraulic Presses in window frame design. This type of press has become well know for its reliability. All presses are supplied with complete Hydraulic Pumping unit in compact design including electrical control Panel.

Technical Specifications	
Type	: Frame Type, made of prime plate tested material.
Mould	: Fabricated out of tested mild steel plate, shape of mould according to the choice of customer.
Mode of Heating	: Steam / Thermic Fluid.
Capacity	: 150 / 180 Tons.
Cylinders	: EN-8 Forging Tested Material.
Type of Press	: Up-Stroke.
Closing Time	: 1/2 Minute.
Opening Time	: 1 Minute.
Electric Motor	: Crompton / Siemens / ABB
Space Required	: 4 feet x 7 feet approx.



Favorable Sizes :	
URM-FHP-1	700 x 15
URM-FHP-2	750 x 16
URM-FHP-3	825 x 20
URM-FHP-4	900 x 20
URM-FHP-5	1000 x 20
URM-FHP-6	1100 x 20
URM-FHP-7	1200 x 24

### “UTTAM” Precured Tread Rubber Hydraulic Press

"UTTAM" make hydraulic vulcanizing presses in single - and double-side C- frame design. This type of press has become well know for its reliability, high productivity and its excellent accessibility for loading and unloading the daylight. All presses are supplied with complete Hydraulic Pumping unit in compact design including electrical control. The daylight can equipped with moulds having different widths and profiles.

Technical Specifications			
MODEL NO.	PLATEN SIZE	CAPACITY	NO. OF DAYLIGHTS
URM-PCT-1	12" x 12'-0"	300T	3/4/5
URM-PCT-2	16" x 12'-0"	400T	3/4/5
URM-PCT-3	24" x 12'-0"	500T	3/4/5
URM-PCT-4	12" x 32'-10"	600T	3/4/5
URM-PCT-5	16" x 32'-10"	800T	3/4/5
URM-PCT-6	20" x 39'-0"	1000T	3/4/5




### “UTTAM” Rubber Conveyor Belt Hydraulic Press

Technical Specifications				
DESCRIPTION	UNIT	URM-CBH-1	URM-CBH-2	URM-CBH-3
Clamping Force	Ton	1000	2000	3000
Platen Size	Inch	52 x 144	64 x 192	84 x 192
Daylight	Nos.	Single / Double	Single / Double	Single
Daylight Gap	Inch	10	10	12 , 16
Stroke Length	Inch	8 , 16	10 , 20	12 , 16
Piston Diameter	Inch	12	16	20
Piston	nos	8	8	8
Specific Pressure	Kg/cm2	25	28	32
Working Pressure	Kg/Cm2	200	200	200
Mode of Heating	EI/St/Tf	200	200	200
Electrical Power	HP	15	20	30



## "UTTAM" Quick Opening Hydraulic Press For EVA / Rubber

"UTTAM" make Quick Opening Hydraulic Press for EVA Sheet, Rubber Sheet, Eva Soles, Rubber Soles, Rubber Mats and Silicon in window frame design. This type of press has become well know for its reliability. All presses are supplied with complete Hydraulic Pumping unit in compact design including electrical control Panel.



### Technical Specifications

DESCRIPTION	UNIT	URM-EVA-1	URM-EVA-2	URM-EVA-3	URM-EVA-4	URM-EVA-5	URM-EVA-6	URM-EVA-7
Clamping Force	Ton	150	200	300	400	650	650	900
Platen Size	Inch	20 x 20	22 x 26	24 x 32	26 x 46	36 x 42	36 x 60	42 x 52
Station		Double	Double	Single	Single	Single	Single	Single
Daylight	Nos.	2	2	6	5	6	4	4
Clearance	Inch	8	8	4	5	4	6	6
Window	Inch	24	32	36	48	48	54	60
Stroke Length	Inch	16	16	24	25	24	24	24
Piston Diameter	Inch	12	14	18	14	26	18	30
Piston	Nos.	1	1	1	2	1	2	1
Specific Pressure	Kg/cm <sup>2</sup>	70	65	70	65	80	55	80
Working Pressure	Kg/cm <sup>2</sup>	200	200	200	200	200	200	200
Retracting Speed	Seconds	1.5	1.5	2	2	2	2	2
Mode of Heating	El/St/Tf	1.5	1.5	2	2	2	2	2
electrical Power	HP	7.5+3	7.5+3	10+3	15+3	15+3	20+3	20+3

## "UTTAM" Industrial Moulding Hydraulic Press



"UTTAM" make Industrial Compression moulding up-stroke Hydraulic presses in window Frame design. Such as:-

**Auto Parts moulding Hydraulic Press**

**Oil Seal moulding Hydraulic Press**

**Hot Water Bag Hydraulic Press**

**'O' Ring moulding Hydraulic Press**

**Rubber Parts moulding Hydraulic Press**

These type of press has become well know for its reliability.

**Available in all Sizes as per Customer Specification**

Technical Specifications	
Type	Frame Type, made of prime plate tested material.
Capacity	10 Tons to 150 Tons
Cylinders	EN-8 Forging Tested Material
Electric Control Panel	Star Delta electric operating panel
No. of Day Light	1 To 4
Mode of Heating	Steam / Thermic Fluid Heating System
Type of Press	Up-Stroke.
Electric Motor	ABB / Crompton / Siemens

**All presses are supplied With Hydraulic Power Pack Unit Consisting D.C. Valve,**

Non Return Valve, Check valve, Safety Valve and Pressure Gauge. With Oil Tank.

Please don't hesitate to ask for more about our products.

**Contact Us or Send us Online Query**

**Uttam Rubtech Machines**

**Contact Person :** Amrit Pal Singh Dadial (Mechanical Engineer)  
Samrit Pal Singh Dadial (Export Manager)

**Address :** S-7, Community Centre, Mayapuri, Phase I  
New Delhi - 110064, (INDIA)

**Phone. :** + (91)-(11)-25449366

**Fax :** + (91)-(11)-25922102

**Mobile. :** +91-9312655015, +91-9312253001

**E-mail :** [info@uttammachines.com](mailto:info@uttammachines.com), [sales@uttammachines.com](mailto:sales@uttammachines.com)

---

Copyright © Uttam Rubtech Machines. All Rights Reserved  
Site Developed by [IndiaMART InterMESH Limited](#)

MEMBER  
*India*MART